



FIG. 1



REPLACEMENT SHEET 5/19

2644 10/684,508



REPLACEMENT SHEET 7/19

| 710 | 7/19 |
|-----------|--|
| \forall | 4 |
| ID | RULE |
| 1 | <pre>< Sx: (M-BDU/TYPE) = "BetweenParenthesis"; St: AP is BottomOfTree; > → Subordinate(AP, M-BDU)</pre> |
| 2 | <pre> <</pre> |
| 3 | CLS: (AP) isa (KB/Event); LS: (M-BDU) isa (KB/Event); Sx: (AP/Tense) = (M-BDU/Tense); → Coordinate(AP, M-BDU) |
| 4 | CLS: (AP/Lexeme) hasa (M-BDU/Lexeme): \$1: \$2; Sx: AP/*/COMP) is \$1; Sx: (M-BDU/*/SUBJ) is \$2; > → Subordinate(AP, M-BDU) |
| 5 | <pre>< Sx: (M-BDU/Type) = "Temporal"; St: M-BDU isSubordinatedTo AP; > → CreateNary (Cx, AP, M-BDU)</pre> |
| 6 | Sm: Σ(AP) is "Generic"; Sm: Σ(M-BDU) is "Specific"; → Subordinate(AP, M-BDU) |
| 7 | Sm: Σ(AP) is "Irrealis"; Sm: Σ(M-BDU) is "Realis"; Sx: if AP then M-BDU; CreateNary(HYP, AP, M-BDU) |
| 8 | Sm: Σ(AP) is "Irrealis"; Sm: Σ(M-BDU) is "Realis"; Sx: if AP but/instead M-BDU; → CreateNary(HYP, AP, M-BDU) |
| 9 | < Sx: AP but M-BDU >→ Coordinate(AP,M-BDU); |
| 10 | < Sm: Σ(AP) is "Generic": \$1; Sm: Σ(M-BDU) is "Generic": \$2; LS: \$1 ant \$2; → Subordinate(AP, M-BDU) |
| 11 | Sm: PointOfView(Σ(AP)) != PointOfView(Σ(M-BDU)); >→ Subordinate(AP,M-BDU); |
| 12 | < Sm: Σ(AP) is "Narrative"; Sm: Σ(M-BDU) is "Narrative"; Px: Ifnot AnyRule(LS) applies; → Coordinate(AP,M-BDU); |
| 99 | St: AP is BottomOfTree; Px: Ifnot AnyRule applies; → Subordinate(AP, M-BDU) |

Fig. 7